



	GENESI ALLUMINIO / GENESI CARBONIO 360 EVO											EGO CARBONIO						
	HALO BASE			HALO CLEAR			HVL P			GEO			HALO			HVL P		
	nozzle diameter	pressure to calcium psi	calcium bar	nozzle diameter	pressure to calcium psi	calcium bar	nozzle diameter	pressure to calcium psi	calcium bar	nozzle diameter	pressure to calcium psi	calcium bar	nozzle diameter	pressure to calcium psi	calcium bar	nozzle diameter	pressure to calcium psi	calcium bar
35	1.3 B	23	1.6				1.3	26	1.8	1.3	26	1.8	1.2	21.5	1.5	1.2	21.5	1.5
45	1.4 B	26	1.8				1.4	29	2	1.4	29	2	1.2	24.5	1.7	1.2	24.5	1.7
WATER BASE NEW																		
WET BED (BLENDER WATER BASE)	1.4 B	26	1.8				1.4	29	2	1.4	29	2	1.4	24.5	1.7	1.4	24.5	1.7
MS - HS CLEARCOAT				1.2-1.3 C	29	2	1.3	29	2	1.3	29	2	1.2	21.5	1.5	1.2	21.5	1.5
UHS CLEARCOAT				1.2-1.3 C	29	2	1.3	29	2	1.3	29	2	1.2	21.5	1.5	1.2	21.5	1.5
1 K CLEARCOAT																		
AIR TECH CLEARCOAT																		
MATT CLEARCOAT				1.3 C	29	2	1.3	29	2	1.3	29	2	1.2	21.5	1.5	1.2	21.5	1.5
WATER CLEARCOAT																		
BLENDER CLEAR (SPOT BLENDER)													1	21.5	1.5	1	21.5	1.5
2 K TOPCOAT				1.3 C	29	2	1.3	29	2	1.3	29	2	1.2	21.5	1.5	1.2	21.5	1.5
SEALER TRASPARENT				1.4 C	29	2	1.5	29	2	1.5	29	2						
WATER SEALER																		
NON SANDIG SURFACER - wet on wet				1.3 C	29	2	1.3	29	2	1.3	29	2						
UV PRIMER FILLER																		

	SLIM KOMBAT						SLIM XLIGHT						SLIM					
	HALO			HVL P			HALO			HVL P			HALO			HVL P		
	nozzle diameter	pressure to calcium psi	calcium bar	nozzle diameter	pressure to calcium psi	calcium bar	nozzle diameter	pressure to calcium psi	calcium bar	nozzle diameter	pressure to calcium psi	calcium bar	nozzle diameter	pressure to calcium psi	calcium bar	nozzle diameter	pressure to calcium psi	calcium bar
35	1.3	26	1.8	1.3	29	2	1.3	26	1.8	1.3	29	2	1.3	26	1.8	1.3	29	2
45	1.4	26	1.8	1.4	29	2	1.4	26	1.8	1.4	29	2	1.4	26	1.8	1.4	29	2
WATER BASE NEW																		
WET BED (BLENDER WATER BASE)																		
MS - HS CLEARCOAT	1.3	29	2	1.3	29	2	1.3	29	2	1.3	29	2	1.3	29	2	1.3	29	2
UHS CLEARCOAT	1.3	29	2	1.3	29	2	1.3	29	2	1.3	29	2	1.3	29	2	1.3	29	2
1 K CLEARCOAT																		
AIR TECH CLEARCOAT																		
MATT CLEARCOAT	1.3	29	2	1.3	29	2	1.3	29	2	1.3	29	2	1.3	29	2	1.3	29	2
WATER CLEARCOAT																		
BLENDER CLEAR (SPOT BLENDER)	1.3	29	2	1.3	29	2	1.3	29	2	1.3	29	2	1.3	29	2	1.3	29	2
2 K TOPCOAT	1.3	29	2	1.3	29	2	1.3	29	2	1.3	29	2	1.3	29	2	1.3	29	2
SEALER TRASPARENT	1.4	29	2	1.4	29	2	1.4	29	2	1.4	29	2	1.4	29	2	1.4	29	2
WATER SEALER																		
NON SANDIG SURFACER - wet on wet	1.3	29	2	1.3	29	2	1.3	29	2	1.3	29	2	1.3	29	2	1.3	29	2
UV PRIMER FILLER																		
PRIMER	1.3	26	1.8	1.3	29	2	1.3	26	1.8	1.3	29	2	1.3	26	1.8	1.3	29	2
WATER PRIMER	1.3	26	1.8	1.3	29	2	1.3	26	1.8	1.3	29	2	1.3	26	1.8	1.3	29	2
HI - BUILD SANDING	1.7	29	2	1.7	29	2	1.8	29	2	1.8	29	2	1.8	29	2	1.8	29	2
SPRAY PUTTY	2.5	29	2				2.5	29	2				2.5	29	2			